



SST SERVICE STAR TRUCKS

Lube Pro

**Lube & Fuel Lubrication Skids
Standard & Custom Designs**



Standard Lube Skids & Custom Designed Fuel / Lube /Grease Skids

Lube Pro series lube skids and combination fuel/lube skids are offered in both standard and custom designed configurations. Standard lube and waste product evacuation skids are designed to fit inside the 50 inch wide bed area of most mechanic truck bodies, crane bodies or service truck bodies. Standard lube skids have an air line port to connect that air system to the host trucks air compressor system. Custom designed or stand alone lube skids and combination fuel/lube skid systems are configured and engineered to meet each customer's specific needs. Lube skids can be designed to utilize on-site air supplies or they can incorporate a separate gas or diesel engine driven air compressor or a hydraulic drive air compressor to operate the lube skid pumps. Please contact the factory to discuss your specific system requirements.

**Whatever your service needs, no matter how difficult they are, we can help!
Let our engineering staff configure a custom engineered Lube Pro fuel/lube skid
specifically designed to meet your needs today!**



158 HWY 45, Marion, WI 54950 • Phone: (920) 809-8369
Email: sales@servicestartrucks.com • Web Site: www.servicestartrucks.com

Standard Lube Pro Series Lube Skid Features:

Base Skid Mounting Platforms:

- 1/4 inch thick and 3/8 inch thick base plate skids are available and are based upon customer requirements
- Forklift width mounting channels with mounting holes for bolt-in installation into truck beds or trailers

Air System:

- Standard lube skids utilize the mechanic truck, crane body or service body air supply system. An inlet port is provided to allow for a temporary hook up via an air hose with a quick coupler or a permanent hook up via a dedicated air supply line
- Air regulator control unit with gauge
- Air supply plumbing, hoses, valves, fittings

Product Systems:

(Note: Product system quantities and capacities are limited to the overall weight restrictions based on trailer GVWR)

- Three (3) sixty-five (65) gallon, steel product tanks
- Graco Fireball 225 series, air operated, 5:1 ratio product pumps
- Inline product filters with removable filters/screens
- Graco SD series oil reels with 1/2"ID x 50' long product hoses
- Graco SD series, non-drip, non-metered product dispenser control valves

Metered Product Controls – SAE & Metric - Optional

- Graco SD Series electronic metered product dispenser control valves, rated for harsh environments, 0-14 GPM flow
- Graco EM6 Series electronic metered product dispenser control valves, rated for harsh environments, 0-6 GPM flow
- Graco EM12 Series electronic metered product control valves, rated for harsh environments, 0-12 GPM flow
- Graco mechanical metered product dispenser control valves, rated for harsh environments, 0-4 GPM flow

Waste Product Evacuation System:

- One (1) sixty-five gallon, steel waste product tank
- Graco Husky 1050 series 1 inch air operated, 1:1 ratio, double diaphragm waste product evacuation pump
- #60 micron, inline trash filter
- 4-Way reversing evacuation pump control valve
- Graco SD series, heavy-duty, spring recoil, evacuation hose reel with 1-1/4"ID X 35' long evacuation hose

Fuel System - Optional

- Diesel fuel tank, steel
- Manual control shut off valve
- Graco 1:1 ratio, 3/4" inlet/outlet, air operated, double diaphragm diesel fuel pump
- Fuel system filter assembly
- Graco, spring recoil type, fuel reel with 3/4" ID X 35' long fuel hose
- Swivel type, auto shut off, fuel dispenser nozzle

Air Supply System - Optional

- Air FLR (filter/regulator/lubricator) control unit with gauge
- Air supply hoses, valves, fittings
- Air reel assembly with 1/2" X 50' air hose and quick release coupler

Anti-Freeze System - Optional

- 65 gallon poly anti-freeze tank with steel tank reinforcement
- Graco Husky series, 1/2" air operated, 1:1 ratio, double diaphragm anti-freeze product pump
- Inline stainless steel antifreeze filter with removable filters/screens
- Graco SD series, spring recoil, hose reel with 1/2" ID X 50' long 300-PSI anti-freeze hose
- Graco SD series, non-drip, non-metered, product dispenser, anti-freeze

Reel Enclosures & Storage Compartments - Optional

- Rear reel compartment with locking doors to include:
 - 10 gauge cabinet construction with:
 - Fully welded exterior compartment seams
 - 10 Gauge steel doors with reinforcement channels
 - Automotive grade, compression type, bulb weather stripping is used on all door openings
 - Stainless steel three point door handles, keyed alike
 - Stainless steel "bullet" type door hinges
 - Gas assist strut type door open /close devices

Graco Fireball 225 Series 50:1 Ratio 120 LB Grease System – Optional

- Graco Fireball 225 series, 50:1 ratio air operated grease pump system, 120 lb drum, drum cover, follower plate, tie down kit, air regulator, control valve, Graco XD series, spring recoil, hose reel with 1/4" ID X 50' long grease hose, Graco XD series, non-metered, swivel dispenser nozzle with flexible grease extension

Graco Fireball 300 Series 50:1 Ratio 120 LB Grease System – Optional

- Graco Fireball 300 series, 50:1 ratio air operated grease pump system, 120 lb drum, drum cover, follower plate, tie down kit, air regulator, control valve, Graco XD series, spring recoil, hose reel with 1/4" ID X 50' long grease hose, Graco XD series, non-metered, swivel dispenser nozzle with flexible grease extension

Graco Fireball 425 Series 50:1 Ratio 120 LB Grease System – Optional

- Graco Fireball 425 series, 50:1 ratio air operated grease pump system, 120 lb drum, drum cover, follower plate, tie down kit, air regulator, control valve, Graco XD series, spring recoil, hose reel with 1/4" ID X 50' long grease hose, Graco XD series, non-metered, swivel dispenser nozzle with flexible grease extension

Graco Fireball 425 Series 75:1 Ratio 120 LB Grease System – Optional

- Graco Fireball 425 series, 75:1 ratio air operated grease pump system, 120 lb drum, drum cover, follower plate, tie down kit, air regulator, control valve, Graco XD series, spring recoil, hose reel with 1/4" ID X 50' long grease hose, Graco XD series, non-metered, swivel dispenser nozzle with flexible grease extension